



HUMAN-COMPUTER INTERACTION

THIRD
EDITION

DIX
FINLAY
ABOWD
BEALE

chapter 5

interaction design basics

interaction design basics

- design:
 - what it is, interventions, goals, constraints
- the design process
 - what happens when
- users
 - who they are, what they are like ...
- scenarios
 - rich stories of design
- navigation
 - finding your way around a system
- iteration and prototypes
 - never get it right first time!

interactions and interventions

design interactions not just interfaces

not just the immediate interaction

e.g. stapler in office – technology changes interaction style

- manual: write, print, staple, write, print, staple, ...
- electric: write, print, write, print, ..., staple

designing interventions not just artefacts

not just the system, but also ...

- documentation, manuals, tutorials
- what we say and do as well as what we make



what is design?

what is design?

achieving goals within constraints

- goals - purpose
 - who is it for, why do they want it
- constraints
 - materials, platforms
- trade-offs

golden rule of design

understand your materials

for Human-Computer Interaction

understand your materials

- understand computers
 - limitations, capacities, tools, platforms
- understand people
 - psychological, social aspects
 - human error
- and their interaction ...


To err is human

- accident reports ..
 - aircrash, industrial accident, hospital mistake
 - enquiry ... blames ... 'human error'
- but ...
 - concrete lintel breaks because too much weight
 - blame 'lintel error' ?
 - ... no – design error
 - we know how concrete behaves under stress
- human 'error' is normal
 - we know how users behave under stress
 - so design for it!
- treat the user at least as well as physical materials!

Central message ...

the user

The process of design



Steps ...

- requirements
 - what is there and what is wanted ...
- analysis
 - ordering and understanding
- design
 - what to do and how to decide
- iteration and prototyping
 - getting it right ... and finding what is really needed!
- implementation and deployment
 - making it and getting it out there

... but how can I do it all !!

- limited time \Rightarrow design trade-off
- usability?
 - finding problems and fixing them? 
 - deciding what to fix? 
- a perfect system is badly designed
 - too good \Rightarrow too much effort in design



user focus

know your user
personae
cultural probes

know your user

- who are they?
- probably not like you!
- talk to them
- watch them
- use your imagination

persona

- description of an 'example' user
 - not necessarily a real person
- use as surrogate user
 - what would Betty think
- details matter
 - makes her 'real'

example persona

Betty is 37 years old, She has been Warehouse Manager for five years and worked for Simpkins Brothers Engineering for twelve years. She didn't go to university, but has studied in her evenings for a business diploma. She has two children aged 15 and 7 and does not like to work late. She did part of an introductory in-house computer course some years ago, but it was interrupted when she was promoted and could no longer afford to take the time. Her vision is perfect, but her right-hand movement is slightly restricted following an industrial accident 3 years ago. She is enthusiastic about her work and is happy to delegate responsibility and take suggestions from her staff. However, she does feel threatened by the introduction of yet another new computer system (the third in her time at SBE).



cultural probes

- direct observation
 - sometimes hard
 - in the home
 - psychiatric patients, ...
- probe packs
 - items to prompt responses
 - e.g. glass to listen at wall, camera, postcard
 - given to people to open in their own environment they record what is meaningful *to them*
- used to ...
 - inform interviews, prompt ideas, enculture designers





scenarios

stories for design
use and reuse

scenarios

- stories for design
 - communicate with others
 - validate other models
 - understand dynamics
- linearity
 - time is linear - our lives are linear
 - but don't show alternatives

scenarios ...

- what will users want to do?
- step-by-step walkthrough
 - what can they see (sketches, screen shots)
 - what do they do (keyboard, mouse etc.)
 - what are they thinking?
- use and reuse throughout design

scenario - movie player

Brian would like to see the new film "Moments of Significance" and wants to invite Alison, but he knows she doesn't like "arty" films. He decides to take a look at it to see if she would like it and so connects to one of the movie sharing networks. He uses his work machine as it has a higher bandwidth connection, but feels a bit guilty. He knows he will be getting an illegal copy of the film, but decides it is OK as he is intending to go to the cinema to watch it. After it downloads to his machine he takes out his new personal movie player. He presses the 'menu' button and on the small LCD screen he scrolls using the arrow keys to 'bluetooth connect' and presses the select button. On his computer the movie download program now has an icon showing that it has recognised a compatible device and he drags the icon of the film over the icon for the player. On the player the LCD screen says "downloading now", a percent done indicator and small whirling icon.

also play act ...

- mock up device
- pretend you are doing it
- internet-connected swiss army knife ...



use toothpick as stylus 😊

but where is that thumb?



... explore the depths

- explore interaction
 - what happens when
- explore cognition
 - what are the users thinking
- explore architecture
 - what is happening inside

use scenarios to ..

- communicate with others
 - designers, clients, users
- validate other models
 - ‘play’ it against other models
- express dynamics
 - screenshots – appearance
 - scenario – behaviour

linearity

Scenarios – one linear path through system

Pros:

- life and time are linear
- easy to understand (stories and narrative are natural)
- concrete (errors less likely)

Cons:

- no choice, no branches, no special conditions
- miss the unintended

• So:

- use several scenarios
- use several methods

levels

- widget choice
 - menus, buttons etc.
- screen design
- application navigation design
- environment
 - other apps, O/S

the web ...

- widget choice
- screen design
- navigation design
- environment
- elements and tags
 - ``
- page design
- site structure
- the web, browser, external links

physical devices


- widget choice
- screen design
- navigation design
- environment
- controls
 - buttons, knobs, dials
- physical layout
- modes of device
- the real world

think about structure


- within a screen
 - later ...
- local
 - looking from this screen out
- global
 - structure of site, movement between screens
- wider still
 - relationship with other applications

goal seeking

start





goal




goal seeking

start



goal




progress with local knowledge only ...

four golden rules

- knowing where you are
- knowing what you can do
- knowing where you are going
 - or what will happen
- knowing where you've been
 - or what you've done




where you are - breadcrumbs

shows path through web site hierarchy





beware the big button trap



- where do they go?
 - lots of room for extra text!




modes

- lock to prevent accidental use ...
 - remove lock - 'c' + 'yes' to confirm
 - frequent practiced action
- if lock forgotten
 - in pocket 'yes' gets pressed
 - goes to phone book
 - in phone book ...
 - 'c' – delete entry
 - 'yes' – confirm
 - ... oops !




hierarchical diagrams



hierarchical diagrams ctd.

- parts of application
 - screens or groups of screens
- typically functional separation



navigating hierarchies

- deep is difficult!
- misuse of Miller's 7 ± 2
 - short term memory, not menu size
- optimal?
 - many items on each screen
 - but structured within screen

think about dialogue

what does it mean in UI design?

Minister: do you *name* take this woman ...

Man: I do

Minister: do you *name* take this man ...

Woman: I do

Minister: I now pronounce you man and wife


think about dialogue

what does it mean in UI design?

Minister: do you *name* take this woman ...

- marriage service
 - general flow, generic – blanks for names
 - pattern of interaction between people
- computer dialogue
 - pattern of interaction between users and system
 - but details differ each time


network diagrams



- show different paths through system

network diagrams ctd.

- what leads to what
- what happens when
- including branches
- more task oriented then hierarchy



wider still ...

- style issues:
 - platform standards, consistency
- functional issues
 - cut and paste
- navigation issues
 - embedded applications
 - links to other apps ... the web

basic principles

- ask
 - what is the user doing?
- think
 - what information, comparisons, order
- design
 - form follows function

available tools

- grouping of items
- order of items
- decoration - fonts, boxes etc.
- alignment of items
- white space between items

grouping and structure

logically together \Rightarrow physically together

Billing details:

Name
Address: ...
Credit card no

Delivery details:

Name
Address: ...
Delivery time

Order details:


item	quantity	cost/item	cost
size 10 screws (boxes)	7	3.71	25.97
.....

order of groups and items

- think! - what is natural order
- should match screen order!
 - use boxes, space etc.
 - set up tabbing right!
- instructions
 - beware the cake recipe syndrome!
... mix milk and flour, add the fruit
after beating them

decoration

- use boxes to group logical items
- use fonts for emphasis, headings
- but not too many!!




alignment - text

- you read from left to right (English and European)


⇒ align left hand side

Willy Wonka and the Chocolate Factory
Winston Churchill - A Biography
Wizard of Oz
Xena - Warrior Princess

boring but
readable!



fine for special effects
but hard to scan



Willy Wonka and the Chocolate Factory
Winston Churchill - A Biography
Wizard of Oz
Xena - Warrior Princess

alignment - names

- Usually scanning for surnames
⇒ make it easy!

Alan Dix
Janet Finlay
Gregory Abowd
Russell Beale



Alan Dix
Janet Finlay
Gregory Abowd
Russell Beale



Dix , Alan
Finlay, Janet
Abowd, Gregory
Beale, Russell





alignment - numbers

think purpose!

which is biggest?

532.56
179.3
256.317
15
73.948
1035
3.142
497.6256



alignment - numbers

visually:

long number = big number

align decimal points

or right align integers

627.865
1.005763
382.583
2502.56
432.935
2.0175
652.87
56.34

multiple columns

- scanning across gaps hard:
(often hard to avoid with large data base fields)

sherbert	75
toffee	120
chocolate	35
fruit gums	27
coconut dreams	85

multiple columns - 2

- use leaders

sherbert	75
toffee	120
chocolate	35
fruit gums	27
coconut dreams	85

multiple columns - 3

- or greying (vertical too)

sherbert	75
toffee	120
chocolate	35
fruit gums	27
coconut dreams	85

multiple columns - 4

- or even (with care!) 'bad' alignment

sherbert	75
toffee	120
chocolate	35
fruit gums	27
coconut dreams	85

white space - the counter

WHAT YOU SEE

white space - the counter

WHAT YOU SEE

THE GAPS BETWEEN

physical controls

- grouping of items

defrost settings

type of food

time to cook



physical controls

- grouping of items
- order of items
 - 1) type of heating
 - 2) temperature
 - 3) time to cook
 - 4) start




physical controls

- grouping of items
- order of items
- decoration

different colours for
different functions

lines around related
buttons (temp up/down)



physical controls

- grouping of items
- order of items
- decoration
- alignment

centred text in buttons

? easy to scan ?



physical controls

- grouping of items
- order of items
- decoration
- alignment
- white space

gaps to aid grouping





user action and control


entering information
knowing what to do
affordances

entering information

- forms, dialogue boxes
 - presentation + data input
 - similar layout issues
 - alignment - N.B. different label lengths
- logical layout
 - use task analysis (ch15)
 - groupings
 - natural order for entering information
 - top-bottom, left-right (depending on culture)
 - set tab order for keyboard entry



A form with two input fields. The top field is labeled "Name:" and contains "Alan Dix". The bottom field is labeled "Address:" and contains "Lancaster". A large red 'X' is drawn over the entire form, indicating it is a poor design.



A form with two input fields. The top field is labeled "Name:" and contains "Alan Dix". The bottom field is labeled "Address:" and contains "Lancaster". A large green checkmark is drawn over the form, indicating it is a good design.



A form with two input fields. The top field is labeled "Name:" and contains "Alan Dix". The bottom field is labeled "Address:" and contains "Lancaster". A large blue question mark is drawn over the form, indicating a design question or uncertainty.

knowing what to do

- what is active what is passive
 - where do you click
 - where do you type
- consistent style helps
 - e.g. web underlined links
- labels and icons
 - standards for common actions
 - language – bold = current state or action

affordances

- psychological term
- for physical objects
 - shape and size suggest actions
 - pick up, twist, throw
 - also cultural – buttons ‘afford’ pushing
- for screen objects
 - button-like object ‘affords’ mouse click
 - physical-like objects suggest use
- culture of computer use
 - icons ‘afford’ clicking
 - or even double clicking ... not like real buttons!



mug handle

‘affords’
grasping





appropriate appearance

presenting information

aesthetics and utility

colour and 3D

localisation & internationalisation

presenting information

- purpose matters
 - sort order (which column, numeric alphabetic)
 - text vs. diagram
 - scatter graph vs. histogram
- use paper presentation principles!
- but add interactivity
 - softens design choices
 - e.g. re-ordering columns
 - 'dancing histograms' (chap 21)

name	size
chap10	12
chap5	16
chap1	17
chap14	22
chap20	27
chap8	32
...	...




aesthetics and utility

- aesthetically pleasing designs
 - increase user satisfaction and improve productivity
- beauty and utility may conflict
 - mixed up visual styles \Rightarrow easy to distinguish
 - clean design – little differentiation \Rightarrow confusing
 - backgrounds behind text
 - ... good to look at, but hard to read
- but can work together
 - e.g. the design of the counter
 - in consumer products – key differentiator (e.g. iMac)

colour and 3D

- both often used very badly!
- colour
 - older monitors limited palette
 - colour over used because 'it is there'
 - beware colour blind!
 - use sparingly to **reinforce** other information
- 3D effects
 - good for physical information and some graphs
 - but if over used ...
 - e.g. text in perspective!! 3D pie charts



bad use of colour

- over use - without very good reason (e.g. kids' site)
- colour blindness
- poor use of contrast
- do adjust your set!
 - adjust your monitor to greys only
 - can you still read your screen?


across countries and cultures

- localisation & internationalisation
 - changing interfaces for particular cultures/languages
- globalisation
 - try to choose symbols etc. that work everywhere
- simply change language?
 - use 'resource' database instead of literal text
... but changes sizes, left-right order etc.
- deeper issues
 - cultural assumptions and values
 - meanings of symbols
e.g tick and cross ... +ve and -ve in some cultures
... but ... mean the same thing (mark this) in others




prototyping

- you never get it right first time
- if at first you don't succeed ...



pitfalls of prototyping

- moving little by little ... but to where
- Malverns or the Matterhorn?



1. need a good start point
2. need to understand what is wrong